



Check for updates



Review Article

A comprehensive review on consumption of Bushmeat in humans and effects on wildlife

Shah Zain¹, Asia Latif¹, Uffa Maryam¹, Um-E-Laila Naqvi¹, Aqsa Saboor Khan², Usama Ashraf¹, Wissha Ahmad², Hameeza Mushtaq², Umer Abdul Rehman¹

¹Institute of Food and Nutritional Sciences, PMAS-AAUR, Rawalpindi, Pakistan.

²Department of Human Nutrition and Dietetics, Muhammad Nawaz Sharif University of Agriculture Multan, Pakistan.

ABSTRACT

The term “Bushmeat” means harvesting the meat of wild animals or game animals for the purpose of consumption and meeting the dietary requirements of local inhabitants of the African continent. Harvesting of wild animal meat is done not only for the purpose of consumption but also for ensuring Food security, Income and for the Trading. “Bushmeat” is a fundamental wellspring of protein in numerous provincial regions and diminished accessibility can have negative effects on well-being just as nourishment impacts. Guaranteeing the maintainability of bushmeat utilization is significant for both biodiversity protection and destitution mitigation in tropical creating nations, yet we think minimal about the job of chasing and bushmeat utilization in the everyday lives of provincial networks. In Africa, over hunting of tropical untamed life for sustenance stays an obstinate subject. Givers and governments stay resolved to spend in endeavors to both ration and permit the feasible utilization of untamed life. Four head obstructions should be survived.

People groups are not propelled to save natural life-long haul since they have no formal rights to profit by untamed life, or to avoid others from taking it on their property. Multi species harvests, run of the mill of bushmeat chasing situation, place enormous bodied species in danger of elimination. Natural life generation can't extend, similarly that animals cultivating can, to meet the normal development in buyer request. Untamed life living space is lost through change to horticulture, lodging, transportation systems and extractive enterprises. In this review, we look at the on-screen characters associated with the utilization of natural life as nourishment and contend the potential arrangements required to address urban and rustic bushmeat utilization.

Keywords: Africa; bushmeat; consumption; wildlife; zoonotic diseases.



Correspondence

Asia Latif

asia.latif@uaar.edu.pk

Article History

Received: October, 16, 2025

Accepted: December 12, 2025

Published: December 31, 2025



Copyright: © 2025 by the authors.

Licensee: Roots Press, Rawalpindi, Pakistan.

This article is an open access article distributed under the terms and conditions of the Creative Commons Attribution (CC BY) license: <https://creativecommons.org/licenses/by/4.0>

INTRODUCTION

“BUSHMEAT” very important to village inhabitants of Africa, it is important both for consumption in the household and for the purpose of business and trading (Biaze and Gunther, 2014). “Bushmeat” has become familiar with the inhabitants those are living in the regions of the world surrounded by forests, or which have huge forests reserves namely “Africa”. “Bushmeat” a staple food local residents as there are no substitutes of food source and also protein source and also due to local culture (Dickman, 2009).

African continent is used for the hunting and harvesting of meat of game animals and birds as due to vast forests and savanah regions of this continent. The poor community and the adverse conditions of Africa provide people with a motive and incentive to hunt and harvest wild animals as a reason for earning cash and source of food for the families (Van Velden et al., 2018). Hunting of wild birds and animals is done by the local people mainly males and adolescent boys and this hunting

provides resources such as food, cash and trophies such as horns and heads of animals etc. and these resources provides these people with cash, food security to carry out their life activities (van Der Merwe, 2014). Uncontrolled hunting and harvesting bushmeat has caused the population of many sensitive species of animals to be at risk of extinction in particular area and respective habitable regions of these sensitive species (Hayward, 2009). Conservation of these sensitive species is essential if we are to maintain a stability of ecology of species as shown by studies of central and western Africa, however it is also necessary that bushmeat hunting and harvesting should be done as it is essential for the health, nutrition and well-being of local residents as these species provide food and also income to the local residents in the form of trade of bushmeat. Hunting of wildlife is still occurring nowadays in the forests and savanah areas of the Africa, also around the globe (Biaze and Gunther, 2014), to meet the food requirement and compensate as a protein source also to earn cash for the agricultural crops, for controlling pests, reduce the threats faced by the livestock and also for resident safety and to some extent earn trophies as a prize for hunting the wild species of animals (Nasi et al., 2011). In Africa the forests and the savannah regions are nowadays used as a hunting ground for the hunting of wild animal species as a source of meat which is bushmeat, it is done to earn cash for the production of agricultural crops and for the control of pests of these crops, to reduce the threats of diseases which is faced by the owners of livestock, for the safety of human life and for trophies which are remainder of hunting of these wild animal species (Rentsch and Damon, 2013).

The extraction of timberland items is a significant pay technique in creating nations (Staion 2005; Angelson et al., 2014), and chasing wildlife is broad and meat of these wild animals is significant for both meat and money. Bushmeat utilization is a noteworthy driver of over exploitation of wild creatures as it is a wellspring of protein for some individuals and gives profit to trackers, transporters and sellers. Woodlands are an extensive wellspring of biodiversity and, all things considered, are inseparably associated with individuals' nourishment security, sustenance and well-being (Sunder land, 2011). In numerous tropical timberland regions, most of provincial family units and an enormous extent of urban families depend on non-Timber backwoods items for meeting their nourishment, well-being, work and needs (De Boar WF, 2013). Liaison group on convention of biodiversity of bushmeat characterizes its chasing as harvesting of animals for meat in African woodlands for the nourishment and for non-sustenance methods, in addition to restorative use. Invertebrates can contribute significantly as food source in local areas, bigger vertebrates establish the main part as the earthbound animals largely consumed by the people. creepy crawlies, shellfish, grubs, mollusks and fish are rejected from this portrayal (Effiom, 2013). Bushmeat has for quite some time been a piece of the staple eating regimen of backwoods abiding individuals, frequently being the main available wellspring of creature inferred sustenance (Espinosa, 2014). In Central Africa, fueled by human populace increment, common turmoil and expanding extractive enterprises, bushmeat exchange has expanded, causing the nearby consumption of a few undermined animal types. The expanding request from urban regions, joined with bigger populaces, is regularly featured as a fundamental motive for the unsustainable utilization of wild animal meat, and its negative impacts effecting the two biological systems and vocations. Worldwide consideration has been attracted to the natural results of the unsustainable utilization of bushmeat principally through discussions about the 'unfilled woods' disorder; notwithstanding, later advancements have moved the spotlight for the association between bushmeat and vocations, harvesting of meat and also especially for sustenance of food security.

Wild animal meat i.e. bushmeat is critical for the availability of animal meat proteins in all of Africa and it is also necessary for primary sustenance of food security in an area. The nourishing character of the bushmeat moves past its role of providing a wellspring of animal proteins, because it is regularly the main source of iron in meat (Golden, 2011) and also animal fats. Although "Bushmeat" which is the meat of hunted and harvested animal's species is most important source of meat all around the world (Ripple et al., 2016), it has shown that three by fourth or 75% of the human infectious diseases that emerges and responsible for emergence of such diseases are pathogens which are zoonotic in nature (Wolfe, 2005). Viral diseases which are caused by viruses such as HIV-1 and HIV-2, EBOLA and influenza which are all caused by viruses and are transmitted to humans by consuming or coming in contact with bushmeat. (Wolfe, 2005; Ripple, 2016) figure (1) demonstrates the consumption and effect of Bushmeat consumption in Africa. For the purpose of addressing and finding a solution to this problem of enigmatic human and wildlife interaction scenario we require the two factors e.g. ecological and the social knowledge of the religion to bring human and wildlife together to sustain the ecology by controlling the hunting and harvesting of the wildlife species and to broaden the ecosystem by preserving the habitats of these animal species. albeit past outcomes give a decent comprehension of the linkages between utilization examples and financial foundations in central Africa (Kelly, 2013), there are as yet various uncertain inquiries:

1. As a result of the fruit bearing connection among riches and wild meat utilization in city areas or developed territories also in the negative for progressively backward territories additionally for applying in the areas where animal meat is as yet to become the least expensive source of animal proteins? in some areas or territories, (for example, Kesengani, Democratic Republic of Congo, or Bangui, Central African Republic) animal meat is less expensive than numerous different wellsprings of creature protein. Our speculation is that other food sources more unfortunate family units devour much more animal meat than Richer families in City areas or territories.
2. It is the utilization for the conventional word bushmeat adequately thorough for unraveling of the connections among the two financial foundation for the purchasers and the utilization of bushmeat, and is some reason for this linkage reliant on the sort of animal species hunted for bushmeat? it is estimated that animal species expended in much greater numbers in the time by rustic family units contrast from those devoured all the more every now and again and also by city families that are within the city areas animal species devoured by richer families vary differentially by those consumed at the hands of more unfortunate families.
3. Now the need is for giving precise animal meat utilization information at country and also at territory level to educate strategy producers, so that the choices for growing minimal effort and time utilization or time effective approaches for screening animal meat utilization information and the significance of bushmeat in the nourishment of urban and rustic families?




Figure 1. Consumption of bushmeat in humans and effects on wildlife.

Continent Africa and bushmeat consumption

Bushmeat is the meat which is obtained from wild animals for consumption (Faber and Drimie, 2009; Biaze and Gunther, 2014). Africa is World's second largest continent that contains not only forests but also other precious valuable to humans and according to (Van Velden et al., 2018), this continent contains majority of forests and savanna region so due to these areas wild life is dominantly present and hunting of this wild life is done for the purpose of consumption as a source of food or selling to earn some cash (Biaze and Gunther, 2014). As African countries mostly have poor communities so hunting of wild animals, helping the tourists in hunting and selling the hunted animals as a source of meat is very popular in these communities and as the world is facing global crisis of food and poverty, so the people present in these area use these wild animals as a source of their income (Treves, 2006). Male of the families and the young adolescent boys hunt these game animals and they are either used to feed the families or to earn some cash. Bushmeat is preferred in the continent of Africa because it provides food security and source of income to the people (Kaschula and Shackleton, 2009). Animal meat which is called Bushmeat is preferred by everyone regardless of age in these Africa communities, and bushmeat consumption is also increasing by the year (Alexander et al., 2015). Many researches are done on bushmeat consumption and their relation to Africa due to various areas which contain forests and savanna regions but these researches and data is that that authentic because these forests and savanna cover a large area and compiling correct data is a very difficult task so majority of research work is done to get correct data

and knowledge related to these Areas (Grey-Ross et al., 2010). The bushmeat is preferred by both the rural and urban communities of Africa and its demand is still large in the market. Hunting of game birds and animals have a high economic value as these sold in the market and these wild animals are also used as a trophy i.e. heads of animals, horns etc. (Kelly, 2013). Consumption of bushmeat is dangerous for biodiversity but at the same time it is also providing the African community a chance to earn cash, provide their families with food security, grow better crops and also to get a better utilization of their time (Ripple et al., 2016). Figure (2) and (3) demonstrates consumption and the species preferred by the local communities.




Figure 2. Consumption chart (Schenck, 2006).




Figure 3. Preferred wildlife species for consumption (Schenck, 2006).

In Africa, people have eaten untamed life since before our heredity isolated from different primates, more than (6,000,000) Six million years back (Schultz, 2011). These days, natural life is as yet chased in backwoods and Savannah locales for providing a source of animal Meat (bushmeat), and pay to control horticultural harvest bothers, diminish dangers to domesticated animals and human well-being, and as trophies. Unsustainable bushmeat hunting across Sub-Saharan Africa, however, is likely to lead to several serious consequences. It threatens the loss of an essential source of dietary protein, micro nutrients, and income for many rural poor (Zisadza et al., 2025); it endangers the cultural identities of numerous Indigenous and traditional communities for whom hunting is an integral part of heritage and social identity and it accelerates the emptying of African forests and savannahs, where the decline of large wildlife species disrupts key ecological functions necessary for maintaining healthy and resilient ecosystems (Jagadesh et al., 2023; Arora, 2025; Patel et al., 2023). Drivers and answers for unsustainable bushmeat chasing are surely known. They fluctuate as indicated by biome; advertise access and accessibility of options, human populace thickness and urbanization and untamed life use rights and administration (Treves, 2006). To start with, we audit who are right now chasing and expending untamed life in Africa. We at that point investigate the financial drivers of natural life chasing, exchange and utilization and the obstructions to adjusting bushmeat use and untamed life preservation. Finally, we see three key settings where untamed life is expended (for example country towns encompassed with

untamed life; quickly developing common towns near wellsprings of natural life; and built up urban regions where natural life has been exhausted from adjacent regions and survey open doors for defeating obstructions to monitoring and eating untamed life (Kelly, 2013). Figure (4) illustrates the consumption of bushmeat in recent years.




Figure 4. Graph of bushmeat consumption in Africa (Ritchie, 2017).

Households with 10 or more people consume more bushmeat i.e. 94.7% as compared to others. Households with consume less bushmeat which indicates that bushmeat is a sustainable source of meat in African households (Ritchie, 2017). Customary tracker gatherers small, separated groups of migrant tracker collectors in middle Africa (for example Beka, Mabuti, Eefe), Eastern Africa (for example Hidza) and south part of Africa (for example! Kungg) has been still meeting their dietary meat proteins requirements solely by untamed life. Camps move when chasing decreases and possibly return when untamed life population reaches a certain level (Inogwabini, 2014). In any case, chasing can quickly wind up as non-sustainable, which has been occurring in certain gatherings in Middle Africa, in the event that they change from being bushmeat shoppers to brokers providing nearby or far off business sectors. Hotter regions sodden backwoods in Middle and Western Africa have commonly issued a request for greatness less beneficial as far as untamed life stocks and streams, contrasted with open forests and savannahs run of the mill of Eastern and Southern Africa (Braise and Gunther, 2014). Latter being in this manner bolster higher off take of natural life for one person in the region and time, hence higher densities of predators including tracker collectors. Town ranchers all across Africa, numerous inactive country networks eat untamed life as an essential or valuable wellspring of creature protein (FAO, 2016a). Reliance on natural life for nourishment is more prominent in clammy timber lands contrasted with Savannah districts of Africa as the meat of domesticated animals is increasingly accessible in the last mentioned. Normally, continued chasing near settlements drains enormous bodied natural life implying that lone little bodied species, that duplicate generally quickly and are stronger to chasing weight, are accessible in or close to ranchers' fields to be chased for sustenance (Couad, 2007). Enormous sized animal species may at present are surviving however away from tracker's residence. For some provincial family units, animal meat has the potential establish as more as Half of the yearly meat proteins necessities yet is ordinarily significantly less than this in scenes where untamed life has just been seriously exhausted or where domesticated animals' breeding is increasingly normal (Garel et al., 2007). Trackers may expend a large portion of what they chase, however can sale their extra collection inside of network and also to merchants who take it to city areas or territories. Some town trackers spend significant time in business, normally unlawful, chasing to supply purchasers in ranger service concessions, mining camps and urban zones. A few trackers additionally take part in smuggling of natural life with more popular body parts (for example tusks and horns) that are exchanged globally (Blanc et al., 2005). Table (1) demonstrates household capacity and the consumption of bushmeat.

Table 1. Household capacity and bushmeat consumption (Mbeti, 2011).

Person capacity in a House	Number consuming bushmeat	Percentage consuming bushmeat	Number not consuming bushmeat	Percentage not consuming bushmeat	Number Total	Percentage total
One-Three members	228	83.2	46	16.8	247	26.1
Four-Six Members	398	88.8	50	11.2	448	42.6
Six-Nine members	194	90.2	21	9.8	215	20.5
ten Member	107	94.7	6	5.3	113	10.8
Total	921	97.7	122	11.6	1050	100

Most consumed species

In country schools' kids frequently eat the meat of *Antelope Cephalophinae* Species., *Porcupines Arithzone dorsatum*, Small simian monkeys *Cercoptes* and *Cercacebus* species. What's more, African Gambian rat *Cricetomys amini*, which represented practically eighty percent of overall bushmeat suppers devoured (Espinosa, 2014). Figure (5) shows the consumption with age.




Figure 5. Consumption of bushmeat with age in Africa (Alexandre and Rowcliffe, 2015).

In schools of city areas, the more desired animal species were antelope and red squirrels *Potamocheorus porcous*, which represented practically Sixty percent of all the bushmeat dinners devoured (Silva and Mosimane, 2014). Both for country and city kids, the more relished animal meat sources were primarily Antelopes yet additionally little Simian monkeys, Porcupines, Little Pangolin *Maniis triicuspis* and large African elephants *Loxodoonta africana* (Wilkie et al., 2005). Country youngsters favored the meat of Antelopes, little Simian monkeys yet desired much meat from Porcupines against from little monkeys. In city regions kids favored the meat from little monkeys and Porcupines to Red stream hoard Squirrel. *Okaapi* or we can say African elephants *Oksapia johndstoni* meat was available as nine percent of city bushmeat suppers also four percent of rustic bushmeat dinners expended per day preceding of meeting (Van Vliet et al., 2012). The proportion of meals containing meat derived from protected and partially protected species was 3.2% among urban children and 2.2% among rural children. Urban children demonstrated a higher consumption of large-bodied species, with species of an estimated weight of 50 kg comprising 38% of total intake. Conversely, rural children exhibited lower consumption of large species (10%) but a greater reliance on smaller-bodied species, with species of an estimated weight of 10 kg accounting for 46% of consumption. The intake of medium-sized species, as reported for meals consumed on the day preceding the interview, was comparable between urban and rural children. (Bicchieri et al., 2018). Moon and Blackman (2014), explained further analysis indicated that rural children showed a preference for small- and medium-sized species, with species of an estimated weight of 10 kg accounting for 45% of consumption and species weighing between 10 and 50 kg representing 39%. Urban children similarly demonstrated a tendency toward smaller-bodied species, with species of an estimated weight of 10 kg comprising 39% of intake and medium-sized species (10–50 kg) accounting for 40%. Figure (6) demonstrates the parameters of consumption among youngsters in Africa.




Figure 6. Parameters of bushmeat consumption. (Alexandre and Rowcliffe, 2015).

Bushmeat consumption and socioeconomic

In city regions the quantity of suppers with animal meat was rather high (however fundamentally not possible) in youngsters from richer family background (Drury et al., 2011). Between city youngster's quantity in meat in suppers containing animal meat was high (fundamentally not possible) and kids of more unfortunate families' meat and bushmeat utilization were not corresponded with the dad's calling or with the mother's (Somorin et al. 2012). In any case, kids whose mother had a pay creating action ate meat and bushmeat more as often as possible than others (Willcox and Nambu, 2007). There is no known relationship among meat or bushmeat utilization linking it to family unit size. Animal meat and bushmeat utilization had no effect whether the family unit had poultry, animals and fish (Schultz, 2011). Richer family units are fundamentally increasingly shrub boar *Potamochoerus porcuus*, small deer *Hyemeschus aquatilis* and small crocodile *Corocodylus* Species (East et al., 2005). Figure (7) illustrates the eating habits of individuals. In rustic areas quantity in dinners containing animal meat was high (fundamentally not possible) in youngsters of more unfortunate family background. In rustic kids' quantity in dinners containing animal meat was high (fundamentally not possible) for kids from less fortunate families. Utilization of bushmeat and meat was not essentially related with the dad's calling or with the mother's calling (Schwartz, 2013). Be that as it may, kids in families with fathers were ranchers, trackers and anglers eat animal meat much of the time than those whose fathers were associated with business or were representatives. Kids from bigger families are essentially more protein than those from little families.

Meat from wild animals cannot meet protein requirements of local inhabitants

Cases in which wild-reaped and farmed untamed life for turning into the source of nourishment to be consumed by individuals have been reported. In a setting of contracting territory and expanding human populaces, natural life will give an inexorably little extent of the weight control plans for even country families living in nearness to untamed life (Brashares, 2011). Besides, natural life farming, without concentrated specific reproducing, will far-fetched ever be financially stable in respect for rearing trained domesticated animals where drinking water is not compulsory requirement. So, untamed life farms have appeared in Africa for the purpose of investing in the neighborhood currency (Taylor et al., 2016). The examination, nonetheless, neglects to clarify why raising busted peccaries would be progressively effective and produce an increasingly esteemed meat item, then basically growing generation of Tamed Pigs that are brought and devoured up in gigantic numbers all through South Africa (Hayward, 2009). The most significant reason that collecting or farming natural life is never liable to contend with raising tamed animals is that the last have been specifically reproduced for centuries for expanded accommodation, resilience of swarming and in particular to amplify their feed-change effectiveness (FCR, for example the proportion of feed expended for animal

meat created) for limiting consumed time till it arrives on market weight. Transformation-feed proportions (for example kilo dry feed issue consumption pr kilo live mass increase) For trained domesticated animals run for low value of 2.1: 2 for Tilapia to the high of 7: 2 for dairy animals (5: 2 = pigs, 4.5: 2 = Bunnies, 4: 2 = poultry) for time in butchering weight ranges of half per month (16–20 = poultry) for Months (A Half Year = Pigs, 12–18 = Steers) (Kaschula and Shackleton, 2009). Conversely, stick rodents (*Thryonomys swinderianus*) take 7–14 months for arriving at an attractive (grown-up) Weight up to 6–7 kilo (White 2006) the green (Iguana) takes three years for arriving at butcher load up to three kilos (Kelly, 2013). Also, hostage raising of Pacas (*Agouti paca*), is monetarily unreasonable since meat needs more than twenty dollars for selling per kilogram to take care of generation costs (Thornton, 2010). Figure (8) and (9) shows the percentage of bushmeat consumption both expected and observed.




Figure 7. Consumption habit of bushmeat in Africa (Alexandre and Rowcliffe, 2015).

Where water is seriously restricted or where domesticated animals' illnesses like dozing infection are sans endemic wandering or farmed natural life can provide a selective wellspring containing creature protein. Proof obtained by the Hopcraft ranch present on Aathi plains in kenya proposes that if water is to be provided utilizing dug up holes, a blend containing trained animals, also natural life inside a hedge territory can create the better Results and smooth generation during dry spells (Schulte-Herbrüggen and Rowcliffe, 2013).

Today, and in future, overseeing chasing and utilization of natural life as nourishment should concentrate distinctively on:

1. Rustic families living with untamed life.
2. Families in quickly developing towns near the wellspring of natural life.
3. Families in urban focuses where untamed life has been exhausted from adjacent territories.

Bushmeat use and conservation of wildlife balancing barriers

Three head boundaries are present for preserving natural life for circumstances in which bushmeat is wellspring for nourishment, pay and trophy. Animal meat is a possessed, ineffectively represented, easy to get to asset across Africa, untamed life normally is county-claimed asset (for example an open decent) and administering access to and employments of natural life is to a great extent confided to state (Kaabiri and Chidd, 2014). Regularly, much of the networks interacting with natural life reserve neither option for the asset in grounds for the customary cases observation, does not expert for rejecting outcasts by stealing untamed life on the territories. Much chasing done in purpose of nourishment and dealing in this way is illicit from a law requirement point of view, and hence, trackers can be viewed as poachers. Most, if not all Meat 'poachers', view their selves as having real Rights as indicated by standard law (Schipper, 2008). Notwithstanding such legitimate and implementation irregularities, trackers who violate national Laws – to which including principle Govern get to (which has to chase), Meter use (The what, where, when and how much) – don't dread capture, not to mention arraignment or discipline. Amusingly, this causes a scofflaw culture where individuals infringe upon laws without any potential repercussions since they sense that these are for the most part ill-conceived and probably not going to be implemented. As both network and business trackers don't have rights to reject




Figure 8. Percentage of bushmeat consumption in distance range in Africa (White, 2015).




Figure 9. Consumption of wild animals in Africa (White, 2015).

others from chasing, they are unreasonably inspired to take the same number of creatures as they can, as fast as possible, in such a case that they don't, another person will (Hoffmann and Chanson, 2011). This circumstance brings about unsustainable chasing for bushmeat and the exhaustion of a financially and environmentally important normal asset. Indeed, even where the state has declined rights to nearby networks so they can receive genuine monetary rewards from untamed life (for example open air fire locale in Zimbabwe, the Ademede town territories Zambia, conservancies in Namibia in Kenya, and wildlife management areas of Tanzania), and state even now holds proprietorship rights (Jones, Diigle and Thooless, 2015). Proof of network conservancies demonstrates which individuals' advantage unmistakably to untamed life in their territory, feeling that poaching has been taken from them. The networks consequently profoundly energetic for directing the very individuals, for the purpose of adjusting to the built up protection guidelines and give noteworthy knowledge to national capturing offices on untouchables who take their untamed life (Silva and Mosimane, 2015; Wilkie, Painter and Jacob, 2015).

Bushmeat consumption a threat to Biodiversity

The chasing and utilization of animal meat (meat obtained by hunting wild animals) has become the developing worry in moderate tropical creating nations since it can have major impact on both settlements and on focused species and ecosystem elements (Fa and Brown, 2009). Animal meat has been essential to the sustenance food security and income of a huge number of people and is especially significant for the country poor and, in this way, must be economically overseen. The executives of animal meat utilization ought to a proof on this basis, however existing exploration to a great extent concentrated on the continue capacity of collecting and the variables impacting commercial

animal meat exchange (Milder, 2014). These examinations have given valuable insights to how request can decrease, Investigations in the inspirations and drivers of tracker conduct and rustic utilization is under-spoken to for the literature (Kümpelet, 2009), obstructing the abilities to handle proximal reasons for bushmeat chasing around secured territories (Johnson, 2011). Notwithstanding when country trackers and bushmeat customers are focused on, that research inclines towards taking place at zones in which chasing is driven by business, so a little is known about the components affecting chasing and bushmeat consumption among networks which probably are going for the dependence on the Subsistence. Holes from the insight especially basic in Maedagascar, one of the world's least fortunate countries and Top conservation needs where, since 2003, the government has been significantly increasing the extent of the ensured zone framework (Redford and McShane, 2010). The goals for the expanded and protected territory system include saving the country's biodiversity and social legacy, while advancing feasible usage of characteristic assets in neediness lightening, also advancement chasing. Nonetheless, most examinations on bushmeat utilization and chasing have concentrated on individual inclinations or the interchange of statistic (for example family size), Financial (for example riches and pay) and social (for example ethnicity) attributes of people or family units. Recently have analysts started to look at the significance of scene qualities related with bushmeat free market activity. In reality, unaccounted variety in scene setting may mostly clarify the unmistakable outcomes with respect with the impacts of family unit riches and pay on bushmeat utilization and chasing among past investigations (Fa and Brown, 2009). From one viewpoint, as anticipated by an enormous group of hypothetical work on the impacts of natural surroundings misfortune, higher timberland spread staying in the scene decidedly influences the decent variety and wealth of game species. In spite of the fact that chasing can change saved constant backwoods in 'Void woods', Timberland misfortune and fracture increment both the entrance to woodlands and the impacts of chasing, making populaces in littler woods fixes especially powerless against chasing. In outline, timberland spread is related with a higher accessibility of game species, in this manner expanding bushmeat supply to trackers. Then again, scene remoteness, estimated by the good ways from urban focuses, is identified with abatement in the accessibility of tamed meat, conceivably expanding bushmeat request. In progressively remote territories, the accessibility of tamed meat is oftentimes decreased given the good ways from business sectors, which builds the expense and time of transportation, prompting less successive excursions to urban focuses. Moreover, bushmeat will in general be less expensive, making access to the last restricted in remote regions. We, in this way, speculate that both bushmeat utilization and hunting are influenced by the surrounding landscape context, being more likely to occur in areas with higher woodland cover and greater distance from urban centers. Bushmeat chasing is viewed as a noteworthy danger to biodiversity with suggestions for biological system work and related environment administrations, for example, carbon sequestration (Paeres, 2016). Interests for Bushmeat in city territories in Middle Africa assume a very generous job of driving bushmeat chasing, and also exchange (de Meorode and Cowilishaw, 2006; van Vleit and Mobazza, 2011), with city populaces expending to significant extent for the absolute collect at the Couango Baasin. However natural life consumption brought about by Over hunting will undermine the sustenance, Job security in rustic networks. Animal meat is a crucial wellspring of animal meat proteins in numerous rustic zones to diminished accessibility that have opposite well-being, also nourishment Affects (Goleden, 2011). Decrease of city interest for bushmeat is in this manner fundamental for biodiversity protection and provincial networks' prosperity. In circumstances of ineffectual guidelines and powerless law authorization, intercessions focusing on buyer inclinations offer a conceivable road to accomplish such a decrease (Rowcliffe, 2007). That as it may, to be viable, conduct change intercessions definitely be grounded in a comprehension of the socioeconomic drivers supporting customer request designs. While past examinations have researched financial elements driving bushmeat utilization (Eaast et al., 2005), look into on the social and mental elements of city regions bushmeat request that has yet to deficient with regards to. Despite the fact that bushmeat utilization in country territories is frequently determined by an absence of accessible and reasonable choices, in Urban focuses, bushmeat can be pricier than most creature meat proteins and it is viewed as an extravagance thing (Cowilishaw et al., 2005; Shaairp et al., 2016). The research has indicated that bushmeat utilization is to be impacted by the taste inclinations notwithstanding well-being, social, and profound reasons (Schenck et al., 2006). Intercessions planned for changing shopper conduct ought to be guided by a proof educated hypothesis regarding change (Olemedo et al., 2017). The requirement of building up inside and out comprehension of why individuals expend bushmeat as other proteins decisions which are accessible in city region conditions. While addressing this learning hole by a top to bottom subjective way to deal with examine socio-social drivers of bushmeat request in Poointe Nooire, Republic of Coungo. subjective research is fundamental for extending our comprehension of the social parts of protection (Druury et al., 2011) as it empowers examination of discernments and social impacts supporting bushmeat




Figure 10. Emergence of zoonotic diseases due to animal and human interaction (Bean et al., 2015)

utilization, factors not effectively caught by organized review draws near. We distinguish the perception of bushmeat in comparison to other animal proteins, the socioeconomic norms and social contexts associated with bushmeat consumption, and the various factors that either constrain or enable its utilization. Job of social standards in affecting bushmeat utilization has been considered in once a while (Moresello et al., 2015) Yet the understanding of impression of standards is fundamental to devise powerful mediation's and advance feasible conduct (Mackenzie-Moher, 2011). We characterize social standards as standard principles molded as why people are required to carry on, and why people watch others to act (Bicchieri, 2018). Starter field-work to advise the development regarding the meeting aide featured that the Poointe Nooire bushmeat is seen as particularly a classification of meat. Along these lines, it is expected for comprehending the assorted variety and complex transaction among social, also mental elements supporting the utilization of bushmeat by and large. Bits of knowledge picked up from this examination will be valuable for preservation experts taking a shot at the advancement of conduct change intercessions planned for decreasing the utilization of bushmeat among urban inhabitants in Central Africa.

A source of disease transmission

Bushmeat chasing and butchery are hazard factors for zoonotic illness was the biggest recorded, coming about in more than twenty-eight thousand and six hundred cases and eleven thousand and three hundred deaths occurred in Guinea, Liberia and Sierra Leone (Taylor and Goodman, 2016). EVD (Ebola Virus Disease) is a very dangerous zoonotic sickness and it is transferred to people by coming in contact with the blood and other natural liquids of tainted untamed life, for example, organic product from bats, wood impalas and nonhuman primates (Laurance and Ondzeano, 2006). In spite of its wellbeing dangers, bushmeat utilization is across the board all through tropical locales and basic in both country and urban regions despite the fact that the explanations behind its utilization will in general fluctuate between and inside regions. In remote, ruined, country regions, bushmeat is frequently a fundamental wellspring of creature proteins and can add to sustenance Security, especially when domesticated animals also fish are distant or excessively expensive (Wicander, 2015). Alongside the quick development of human populaces, the extraction of untamed life for the subsistence and for business usage has turned into an extraordinary worthwhile biodiversity risk. Ever since 20th century, the plenitude of huge mammals in African secured territories had split, to a great extent due to over-chasing (Wicander, 2015). To make more benefit, trackers incline toward huge creatures, for example, huge impalas, elephants, and incredible Gorillas, whose low characteristic paces of populace development make them very helpless against escalated chasing. Notwithstanding their shortage, they are kept on being focused on and have just been chased to the point of extirpation in various spots (Karanth, 2012). In reality, the bushmeat exchange includes a wide scope of financial and environmental issues, these issues featured the need for utilizing Interdisciplinary ways for dealing with better, comprehend the connections among the excessive use of regular assets and human financial status. It is in this way basic to recognize the hidden drivers of bushmeat utilization to grow progressively successful, directed preservation the executive's systems (UNDP, 2015c). Such procedures must plan to decrease the unsustainable gather of bushmeat while improving human vocations and bringing down the danger of zoonotic infection

transmissions, for example, Ebola Virus Disease (EVD) (Oben, 2015). Figure (10) illustrates the emergence of zoonotic diseases with years.

CONCLUSION

Bushmeat is meat of wild animals and it's harvested for consumption and for earning cash. The continent of Africa mostly consumes bushmeat and is related to bushmeat for the hunting of wild animals and birds. African community is highly dependent upon bushmeat as a source of food and also as a mean to earn extra cash. The discoveries substantiate past investigations that have demonstrated bushmeat in focal African urban territories is viewed as an extravagance decent just as a sound, nutritious, and regular sustenance. In Yaoundé, Cameroon, Vietnam, and also in Hoo Chai Minh city, bushmeat has been appeared to flag riches. Bushmeat, or wild creature meat, is a fundamental wellspring of protein for some individuals in tropical districts. Yet, dealing with and eating bushmeat conveys the danger of contracting infections, for example, Ebola infection illness. During the most recent and biggest at any point recorded Ebola emergency, family salary and explicit learning about the dangers of eating bushmeat were connected to changes in its utilization, specialists report. The greater part of Madagascar's new age of international union for conservation of nature classification V and VI utilize various secured territories as zones to allow the sustainable extraction of backwoods, Freshwater as well as marine resources. In earthbound locales, exercises i.e. as livestock touching and for the gathering of the timberland items (for example medicinal and palatable plants, wild filaments and also wood resources for the fuel and for development) stay passable. These actions are related with bushmeat chasing, almost certainly, exploitation will continue all through the nation's new age of protected regions. It along these lines pursues that the advancement of interventions intended to lessen provincial reliance on forest resources and will be added to diminishing gathering rates. Therefore, the advancement in alternative livelihoods and for improving income creating exercises which are not woods situated and might be fundamental if different protected territories can be used to accomplish their dual objectives of successful conservation and also neediness lightening.

AUTHOR'S CONTRIBUTION

Shah Zain, led the literature review and writing of the original draft, while Asia Latif, Uffa Maryum, Um-E-Laila Naqvi, Aqsa Saboor Khan, Usama Ashraf, were responsible for conceptualization, designing tables and figures, and revising and finalizing the manuscript. Wishah Ahmad, Hameeza Mushtaq and Umer Abdul Rehman provide critical revision and editing of the manuscript. All the authors have revised the manuscript diligently and agree to the submission.

FUNDING

No funding was received for this study.

AVAILABILITY OF DATA AND MATERIAL

This article presents all of the data that was created or examined for this study as tables and figures.

ETHICS APPROVAL AND CONSENT TO PARTICIPATE

The study was approved by the relevant forum.

CONSENT FOR PUBLICATION

The publishing was approved by all of the authors.

CONFLICT OF INTERESTS

The authors declare there is no conflict of interest.

ACKNOWLEDGEMENT

Figures were designed using Canva (<https://www.canva.com/>), and the structures of all compounds were created with Chem Draw 6.0. software.

REFERENCES

Alves, R. R. N. (2012). Relationships between fauna and people and the role of ethnozoology in animal conservation. *Ethnobiology and Conservation*, 41(3), 1-69. <https://doi.org/10.15451/ec2012-8-1.2-1-69>.

- Angelsen, P. Jagger, R. Babigumira, B. Belcher, N. Hogarth, & S. Bauch, et al. (2014). Environmental income and rural livelihoods: A global-comparative analysis. <https://doi.org/10.1016/j.worlddev.2014.03.006>.
- Akani, G. C., Dendi, D., & Luiselli, L. (2015). Ebola virus effects on the bushmeat trade in West Africa. *African Journal of Ecology*, 53(4), 613-615. <https://doi.org/10.1111/aje.12231>.
- Alexander, J., Cocks, M. L., & Shackleton, C. (2015). The landscape of childhood: play and place as tools to understanding children's environmental use and perceptions. *Human Ecology*, 43(3), 467-480. <https://doi.org/10.1007/s10745-015-9755-z>.
- Brashares, J. S., Golden, C. D., Weinbaum, K. Z., Barrett, C. B., & Okello, G. V. (2011). Economic and geographic drivers of wildlife consumption in rural Africa. *Proceedings of the National Academy of Sciences of the United States of America (PNAS)*, 108(34), 13931–13936. <https://doi.org/10.1073/pnas.1011526108>
- Baize, S., Pannetier, D., Oestereich, L., Rieger, T., Koivogui, L., Magassouba, N. F., ... & Gunther, S. (2014). Emergence of Zaire Ebola virus disease in Guinea. *New England Journal of Medicine*, 371(15), 1418-1425. <https://doi.org/10.1056/NEJMoa1404505>.
- Blanc, J., Barnes, R., Craig, G., Douglas-Hamilton, I., Dublin, H., Hart, J., & Thouless, C. (2005). Changes in elephant numbers in major savanna populations in eastern and southern Africa. *Pachyderm*, 38.
- Bennett, E. L., Blencowe, E., Brandon, K., Brown, D., Burn, R. W., Cowlshaw, G. U. Y., ... & Wilkie, D. S. (2007). Hunting for consensus: reconciling bushmeat harvest, conservation, and development policy in West and Central Africa. *Conservation Biology*, 884-887. <https://doi.org/10.1111/j.1523-1739.2006.00595.x>
- Brashares, J. S., Golden, C. D., Weinbaum, K. Z., Barrett, C. B., & Okello, G. V. (2011). Economic and geographic drivers of wildlife consumption in rural Africa. *Proceedings of the National Academy of Sciences*, 108(34), 13931-13936. <https://doi.org/10.1073/pnas.1011526108>
- Bean, A. G., Baker, M. L., Stewart, C. R., Cowled, C., Deffrasnes, C., Wang, L. F., & Lowenthal, J. W. (2013). Studying immunity to zoonotic diseases in the natural host-keeping it real. *Nature Reviews Immunology*, 13(12), 851-861. <https://doi.org/10.1038/nri3551>.
- Bachand, N., Arsenault, J., and Ravel, A. (2015). Urban household meat consumption patterns in Gabon, Central Africa, with a focus on bushmeat. *Human Dimensions of Wildlife*, 20(2), 147-158. <https://doi.org/10.1080/10871209.2014.996836>.
- Christie, T., Steininger, M. K., Juhn, D., & Peal, A. (2007). Fragmentation and clearance of Liberia's forests during 1986-2000. *Oryx*, 41(4), 539-543. <http://doi.org/10.1017/S0030605307000609>.
- Cook, C. N., Mascia, M. B., Schwartz, M. W., Possingham, H. P., and Fuller, R. A. (2013). Achieving Conservation science that bridges the knowledge and action boundary. *Conservation Biology*, 27(4), 669–678. <https://doi.org/10.1111/cobi.12050>.
- Chausson, A. M., Rowcliffe, J. M., Escouflaire, L., Wieland, M., and Wright, J. H. (2019). Understanding the Sociocultural Drivers of Urban Bushmeat Consumption for Behavior Change Interventions in Pointe Noire, Republic of Congo. *Human Ecology*, 47(2), 179-191. <https://doi.org/10.1007/s10745-019-0061-z>
- Dickman, A. J. (2009). Key determinants of conflict between people and wildlife, particularly large carnivores, around Ruaha National Park, Tanzania (Doctoral dissertation, University College London (University of London)).
- De Boer, W. F., van Langevelde, F., Prins, H. H., De Ruiter, P. C., Blanc, J., Vis, M. J., ... & Hamilton, I. D. (2013). Understanding spatial differences in African elephant densities and occurrence, a continent-wide analysis. *Biological Conservation*, 159, 468-476. <https://doi.org/10.1016/j.biocon.2012.10.015>
- Drury, R., Homewood, K., and Randall, S. (2011). Less is more: The potential of qualitative approaches in conservation research. *Animal Conservation*, 14(1), 18–24. <https://doi.org/10.1111/j.1469-1795.2010.00375.x>
- Effiom, E. O., Nuñez-Iturri, G., Smith, H. G., Ottosson, U., & Olsson, O. (2013). Bushmeat hunting changes regeneration of African rain forests. *Proceedings of the Royal Society B: Biological Sciences*, 280 (1759), 20130246. <https://doi.org/10.1098/rspb.2013.0246>
- Espinosa, S., Branch, L. C., & Cueva, R. (2014). Road development and the geography of hunting by an Amazonian indigenous group: consequences for wildlife conservation. *PloS one*, 9(12), e114916. <https://doi.org/10.1371/journal.pone.0114916>.
- East, T., Kümpel, N. F., Milner-Gulland, E. J., and Rowcliffe, J. M. (2005). Determinants of Urban Bushmeat consumption in Rio Muni, Equatorial Guinea. *Biological Conservation*, 126(2), 206–215. <https://doi.org/10.1016/j.biocon.2005.05.012>.
- Faber, M., Schwabe, C., & Drimie, S. (2009). Dietary diversity in relation to other household food security indicators. *International Journal of Food Safety, Nutrition and Public Health*, 2(1), 1-15. <https://doi.org/10.1504/IJFSNPH.2009.026915>.
- Fath, S. et Mayrargue, C. (2014). Les nouveaux christianismes en Afrique Introduction thématique. *Afrique Contemporaine*, 252(4), 13-26. <https://doi.org/10.3917/afco.252.0013>
- Food and Agriculture Organization of the United Nations (FAO). Global Information and Early Warning System on Food and Agriculture Country Briefs. 2016a. <http://www.fao.org/gIEWS/countrybrief/country.jsp?code=LBR>
- Fa, J. E., & Brown, D. (2009). Impacts of hunting on mammals in African tropical moist forests: A review and synthesis. *Mammal Review*, 39(4), 231–264. <https://doi.org/10.1111/j.1365-2907.2009.00149.x>

- Garel, M., Cugnasse, J. M., Maillard, D., Gaillard, J. M., Hewison, A. M., and Dubray, D. (2007). Selective harvesting and habitat loss produce long term life history changes in a mouflon population. *Ecological Applications*, 17(6), 1607-1618 <https://doi.org/10.1890/06-0898.1>.
- Grey-Ross, R., Downs, C. T., and Kirkman, K. (2010). An assessment of illegal hunting on farmland in KwaZulu-Natal, South Africa: implications for oribi (*Ourebia ourebi*) conservation. *African Journal of Wildlife Research*, 40(1), 43-52. <https://journals.co.za/doi/abs/10.10520/EJC117334>
- Golden, C. D., Fernald, L. C., Brashares, J. S., Rasolofoniaina, B. J., and Kremen, C. (2011). Benefits of wildlife consumption to child nutrition in a biodiversity hotspot. *Proceedings of the National Academy of Sciences of the United States of America*, 108(49), 19653–19656. <https://doi.org/10.1073/pnas.1112586108>
- Hayward, M. W. (2009). Bushmeat hunting in Dwesa and Cwebe Nature Reserves, Eastern Cape, South Africa. *African Journal of Wildlife Research*, 39(1), 70-84. <https://journals.co.za/doi/abs/10.10520/EJC117305>
- Hoffmann, M., Belant, J. L., Chanson, J. S., Cox, N. A., Lamoreux, J., Rodrigues, A. S., and Stuart, S. N. (2011). The changing fates of the world's mammals. *Philosophical Transactions of the Royal Society B. Biological Sciences*, 366(1578), 2598-2610. <https://doi.org/10.1098/rstb.2011.0116>
- Inogwabini, B. I. (2014). Bushmeat, overfishing and covariates explaining fish abundance declines in the Central Congo Basin. *Environmental Biology of Fishes*, 97(7), 787-796. <https://doi.org/10.1007/s10641-013-0179-6>
- Junker, J., Boesch, C., Mundry, R., Stephens, C., Lormie, M., Tweh, C., and Kühl, H. S. (2015). Education and access to fish but not economic development predict chimpanzee and mammal occurrence in West Africa. *Biological Conservation*, 182, 27-35. <https://doi.org/10.1016/j.biocon.2014.11.034>
- Jones, B., Diggle, R. W., & Thouless, C. R. (2015). From exploitation to ownership: Wildlife based tourism and communal area conservancies in Namibia. https://doi.org/10.1007/978-94-017-9529-6_2
- Jagadeesh, S., Zhao, C., Mulchandani, R., & Van Boeckel, T. P. (2023). Mapping global bushmeat activities to improve zoonotic spillover surveillance by using geospatial modeling. *Emerging Infectious Diseases*, 29(4), 742. <https://doi.org/10.3201/eid2904.221022>
- Kelly, R. L. (2013). *The life ways of hunter-gatherers: the foraging spectrum*. Cambridge University Press.
- Kümpel, N. F., Milner-Gulland, E. J., Cowlshaw, G., & Rowcliffe, J. M. (2010). Incentives for hunting: the role of bushmeat in the household economy in rural Equatorial Guinea. *Human Ecology*, 38(2), 251-264. <https://doi.org/10.1007/s10745-010-9316-4>
- Kaschula, S. A., and Shackleton, C. M. (2009). Quantity and significance of wild meat off take by a rural community in the Eastern Cape, South Africa. *Environmental Conservation*, 21(16), 192-200. <https://doi.org/10.1017/S0376892909990282>
- Karant, K. K., Gopalaswamy, A. M., DeFries, R., & Ballal, N. (2012). Assessing patterns of human-wildlife conflicts and compensation around a central Indian protected area. *PloS one*, 7(12), e50433. <https://doi.org/10.1371/journal.pone.0050433>.
- Kamins, A. O., Rowcliffe, J. M., Ntiama-Baidu, Y., Cunningham, A. A., Wood, J. L., and Restif, O. (2015). Characteristics and risk perceptions of Ghanaians potentially exposed to bat-borne zoonoses through bushmeat. *Eco Health*, 12(1), 104-120. <https://doi.org/10.1007/s10393-014-0977-0>.
- Laurance, W. F., Croes, B. M., Tchignoumba, L., Lahm, S. A., Alonso, A., Lee, M. E., ... & Ondzeano, C. (2006). Impacts of roads and hunting on central African rainforest mammals. *Conservation Biology*, 20(4), 1251-1261. <https://doi.org/10.1111/j.1523-1739.2006.00420.x>.
- Luiselli, L., Hema, E. M., Segniagbeto, G. H., Ouattara, V., Eniang, E. A., Parfait, G., and Fa, J. E. (2018). Bushmeat consumption in large urban centres in West Africa. *Oryx*, 31, 1-4. <https://doi.org/10.1017/S0030605318000893>
- Milder, J. C., Hart, A. K., Dobie, P., Minai, J., & Zaleski, C. (2014). Integrated landscape initiatives for African agriculture, development, and conservation: a region-wide assessment. *World Development*, 54, 68-80. <https://doi.org/10.1016/j.worlddev.2013.07.006>
- M.W. Hayward (2009). Bushmeat hunting in Dwesa and Cwebe nature reserves, Eastern Cape, South Africa. *South African Journal of Wildlife Research*, 39(4), 70-84. <https://journals.co.za/doi/abs/10.10520/EJC117305>
- MacDonald, D. W., Johnson, P. J., Albrechtsen, L., Dutton, A., Seymour, S., Dupain, J. E. F., and Fa, J. E. (2011). Association of body mass with price of bushmeat in Cameroon. *Conservation Biology*, 25(6), 1220-1228. <https://doi.org/10.1111/j.1523-1739.2011.01741.x>
- Mbete, R. A., Banga-Mboko, H., Racey, P., Mfoukou-Ntsakala, A., Nganga, I., Vermeulen, C., ... & Leroy, P. (2011). Household bushmeat consumption in Brazzaville, the Republic of the Congo. *Tropical Conservation Science*, 4(2), 187-202. <https://doi.org/10.1177/194008291100400207>
- Moon, K., and Blackman, D. (2014). A guide to understanding social science research for natural scientists. *Conservation Biology*, 28(5), 1167-1177. <https://doi.org/10.1111/cobi.12326>
- Morsello, C., Yagüé, B., Beltreschi, L., van Vliet, N., Adams, C., Schor, T., Quiceno Mesa, M. P., & Cruz, D. (2015). Cultural attitudes are stronger predictors of bushmeat consumption and preference than economic factors among urban Amazonians from Brazil and Colombia. *Ecology and Society*, 20(4), 21. <http://doi.org/10.5751/ES-07771-200421>

- McNamara, J., Kusimi, J. M., Rowcliffe, J. M., Cowlshaw, G., Brenyah, A., and Milner-Gulland, E. J. (2015). Long-term spatio-temporal changes in a West African bushmeat trade system. *Conservation Biology*, 29(5), 1446-1457. <https://doi.org/10.1111/cobi.12545>
- N.D. Wolfe, P. Daszak, A.M. Kilpatrick, D.S. Burke (2005). Bushmeat hunting, deforestation, and prediction of zoonotic disease. *Emerging Infectious Diseases*, 11 (12), 1822. <https://doi.org/10.3201/eid1112.040789>
- Nasi, R., Taber, A., & van Vliet, N. (2011). Empty forests, empty stomachs? Bushmeat and livelihoods in the Congo and Amazon basins. *International Forestry Review*, 13(3), 355–368. <https://doi.org/10.1505/146554811798293872>
- Oben, B. O., Molua, E. L., & Oben, P. M. (2015). Profitability of small-scale integrated fish-rice-poultry farms in Cameroon. *Journal of Agricultural Science*, 7(11), 232. <https://www.doi.org/10.5539/jas.v7n11p232>
- Olmedo, A., Sharif, V., & Milner-Gulland, E. J. (2018). Evaluating the design of behavior change interventions: A case study of rhino horn in Vietnam. *Conservation Letters*, 11(1), e12365. <https://doi.org/10.1111/conl.12365>
- Ordaz-Németh, I., Arandjelovic, M., Boesch, L., Gatiso, T., Grimes, T., Kuehl, H. S., and Junker, J. (2017). The socioeconomic drivers of bushmeat consumption during the West African Ebola crisis. *PLoS Neglected Tropical Diseases*, 11(3), e0005450. <https://doi.org/10.1371/journal.pntd.0005450>
- Patel, E. H., Martin, A., Funk, S. M., Yongo, M., Floros, C., Thomson, J., & Fa, J. E. (2023). Assessing disease risk perceptions of wild meat in savanna borderland settlements in Kenya and Tanzania. *Frontiers in Ecology and Evolution*, 11, 1033336. <https://doi.org/10.3389/fevo.2023.1033336>
- R. Nasi, A. Taber, and N. Van Vliet (2011). Empty forests, empty stomachs? Bushmeat and livelihoods in the Congo and Amazon Basins. *International Journal of Reviews*, 13(3), 355-368. <https://doi.org/10.1505/146554811798293872>
- Rentsch, D. and Damon, A. (2013) Prices, poaching, and protein alternatives: an analysis of bushmeat consumption around Serengeti National Park, Tanzania. *Econ*, 91(7), 1–9. <https://doi.org/10.1016/j.econ.2013.03.021>
- Rowcliffe, J. M., Milner Gulland, E. J., & Cowlshaw, G. (2005). Do bushmeat consumers have other fish to fry? *Trends in Ecology & Evolution*, 20(5), 274–276. <https://doi.org/10.1016/j.tree.2005.03.007>
- Roberts, P. D., Diaz-Soltero, H., Hemming, D. J., Parr, M. J., Wakefield, N. H., and Wright, H. J. (2013). What is the evidence that invasive species are a significant contributor to the decline or loss of threatened species? A systematic review map. *Environmental Evidence*, 2(1), 5. <https://doi.org/10.1186/2047-2382-2-5>
- Ripple, W. J., Abernethy, K., Betts, M. G., Chapron, G., Dirzo, R., Galetti, M., and New some, T. M. (2016). Bushmeat hunting and extinction risk to the world's mammals. *Royal Society open science*, 3(10), 160498. <https://doi.org/10.1098/rsos.160498>
- Ritchie, H., and Roser, M. (2017). Meat and dairy production. *Our World in Data*. Food and Agriculture Spectrum Journal, 1(2), 43-21.
- Schulte-Herbrüggen, B., Cowlshaw, G., Homewood, K., & Rowcliffe, J. M. (2013). The importance of bushmeat in the livelihoods of West African cash-crop farmers living in a faunally-depleted landscape. *Plos One*, 8(8), e72807. <https://doi.org/10.1371/journal.pone.0072807>
- Silva, J. A., & Mosimane, A. (2014). “How could I live here and not be a member?”: Economic versus social drivers of participation in Namibian conservation programs. *Human Ecology*, 42(2), 183-197. <https://doi.org/10.1007/s10745-014-9645-9>
- Stoian, Dietmar (2005). Making the Best of Two Worlds: Rural and Peri-Urban Livelihood Options Sustained by Non timber Forest Products from the Bolivian Amazon. *World Development*, Elsevier, vol. 33(5),1473-1490. <https://doi.org/10.1016/j.worlddev.2004.10.009>
- Schenck, Michelle and Effa, Ernestine and Starkey, Malcolm and Wilkie, David and Abernethy, Katharine and Telfer, Paul and Godoy, Ricardo and Treves, and Adrian. (2006). Why people eat Bushmeat: Results from two Choice, Taste tests in Gabon, Central Africa. *Human Ecology*, 34(4), 433-445.
- Schipper, J., Chanson, J. S., Chiozza, F., Cox, N. A., Hoffmann, M., Katariya, V., and Baillie, J. (2008). The status of the world's land and marine mammals: diversity, threat, and knowledge. *Science*, 322(5899), 225-230. <https://doi.org/10.1126/science.1165115>
- Scales, I. R. (2011). Farming at the forest frontier: Land use and landscape change in Western Madagascar, 1896-2005. *Environment and History*, 17(4), 499-524. <https://doi.org/10.1111/j.1523-1739.2011.01766.x>
- Sunder land, T. C. H. (2011). Food security: why is biodiversity important? *International Forestry Review*, 13(3), 265–274. <https://doi.org/10.1505/146554811798293908>
- Somorin, O. A., Brown, H. C. P., Visseren Hamakers, I. J., Sonwa, D. J., Arts, B., and Nkem, J. (2012). The Congo Basin forests in a changing climate: Policy discourses on adaptation and mitigation (REDD). *Global Environmental Change*, 22(1), 288–298. <https://doi.org/10.1016/j.gloenvcha.2011.08.001>
- Schulp, C. J., Thuiller, W., and Verburg, P. H. (2014). Wild food in Europe: A synthesis of knowledge and data of terrestrial wild food as an ecosystem service. *Ecological Economics*, 105, 292-305. <https://doi.org/10.1016/j.econ.2014.06.018>
- Saéz, A. M., Weiss, S., Nowak, K., Lapeyre, V., Zimmermann, F., Düx, A., and Sachse, A. (2015). Investigating the

- zoonotic origin of the West African Ebola epidemic. *EMBO Molecular Medicine*, 7(1), 17-23. <https://doi.org/10.15252/emmm.201404792>.
- Treves, A., Wallace, R. B., Naughton-Treves, L., & Morales, A. (2006). Co-managing human–wildlife conflicts: a review. *Human Dimensions of Wildlife*, 11(6), 383-396. <https://doi.org/10.1080/10871200600984265>
- Taylor, A. N. D. R. E. W., Lindsey, P. A., Davies-Mostert, H. A. R. R. I. E. T., & Goodman, P. E. T. E. R. (2016). An assessment of the economic, social and conservation value of the wildlife ranching industry and its potential to support the green economy in South Africa. *The Endangered Wildlife Trust, Johannesburg*, 96-109. <https://doi.org/10.13140/RG.2.1.1211.1128>
- Thornton, P. K. (2010). Livestock production: recent trends, future prospects. *Philosophical Transactions of the Royal Society B: Biological Sciences*, 365(1554), 2853-2867. <https://doi.org/10.1098/rstb.2010.0134>
- Torres, P. C., Morsello, C., Parry, L., Barlow, J., Ferreira, J., Gardner, T., and Pardini, R. (2018). Landscape correlates of bushmeat consumption and hunting in a post-frontier Amazonian region. *Environmental Conservation*, 45(4), 315-323. <https://doi.org/10.1017/S0376892917000510>
- United Nations Development Program (UNDP). Socio-economic Impact of Ebola Virus Disease in west African countries. 2015c <http://www.Africa.undp.org/content/dam/rba/docs/Reports/ebola-west-Africa.pdf>
- Van der Merwe, P., Saayman, M., and Rossouw, R. (2014). The economic impact of hunting: A regional approach. *South African Journal of Economic and Management Sciences*, 17(4), 379-395. <https://doi.org/10.4102/sajems.v17i4.439>
- Van Velden, J., Wilson, K., and Biggs, D. (2018). The evidence for the bushmeat crisis in African savannas: a systematic quantitative literature review. *Biological Conservation*, 221, 345-356. <https://doi.org/10.1016/j.biocon.2018.03.022>
- van Vliet, N., Nebesse, C., Gambalemoke, S., Akaibe, D., & Nasi, R. (2012). The bushmeat market in Yangambi (DR Congo): Implications for food security and conservation. *Oryx*, 46(4), 536–547. <https://doi.org/10.1017/S0030605311000202>
- White, R. M. (2006). People and forest fauna: a case study from coastal dune forest in the Transkei region of the Eastern Cape. *Indigenous forest and woodlands in South Africa. Policy, people and practice*, 32(6), 553-73. <https://discover.libraryhub.jisc.ac.uk/search?isn=9781869140502&rn=1>
- Wolfe, N. D., Daszak, P., Kilpatrick, A. M., & Burke, D. S. (2005). Bushmeat hunting, deforestation, and prediction of zoonotic disease emergence. *Emerging Infectious Diseases*, 11(12), 1822–1827. <https://doi.org/10.3201/eid1112.040789>
- Willcox, A. S., & Nambu, D. M. (2007). Wildlife hunting practices and bushmeat dynamics of the Banyangi and Mbo people of Southwestern Cameroon. *Biological Conservation*, 134(2), 251-261. <https://doi.org/10.1016/j.biocon.2006.08.016>
- Wilkie, D. S., M. Starkey, K. Abernethy, E. N. Effa, P. Telfer, and R. Godoy. (2005). Role of prices and wealth in consumer demand for bushmeat in Gabon, Central Africa. *Conservation Biology*, 19(1), 268-274. <https://doi.org/10.1111/j.1523-1739.2005.00372.x>
- Wicander, S., & Coad, L. (2015). Learning our lessons: a review of alternative livelihood projects in Central Africa. <https://doi.org/10.13140/2.1.2993.7287>
- White PA, and Belant JL. (2015). Provisioning of Game Meat to Rural Communities as a Benefit of Sport Hunting in Zambia Africa. *Plos One*, 10(2), 341. <https://doi.org/10.1371/journal.pone.0117237>
- Wilkie, D. S., Wieland, M., Boulet, H., Le Bel, S., van Vliet, N., Cornelis, D., and Fa, J. E. (2016). Eating and conserving bushmeat in Africa. *African Journal of Ecology*, 54(4), 402-414. <https://doi.org/10.1111/aje.12392>
- Walz, E., Wilson, D., Stauffer, J. C., Wanduragala, D., Stauffer, W. M., Travis, D. A., and Alpern, J. D. (2017). Incentives for Bushmeat Consumption and Importation among West African Immigrants, Minnesota, USA. *Emerging Infectious Diseases*, 23(12), 2095. <https://doi.org/10.3201/eid2312.170563>
- Zisadza, J., Mrewa, A. T., Khosa, A., Mutematemi, S. A., & Muvengwi, J. (2025). Illegal Hunting and Bushmeat Trade around Save Valley Conservancy. *Environmental Management*, 1-14. <https://doi.org/10.1007/s00267-025-02136-y>.